



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006093876

Filing Deadline: January 15, 2014

FRN: 0019623834

Filing Date: 01/09/2014 04:45 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 11/11

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: SI Wireless, LLC

Brand Names: Mobile Nation

PO Box: 1359

Street Address:

City: Mt. Vernon

State: IL

Zip Code: 62859

Contact Name: Michael Beehn

Contact Phone: (731) 602-4921

Contact Fax:

Contact Email: mbeehn@mymobilenation.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Lukas, Nace, Gutierrez & Sachs, LLP

PO Box:

Street Address: 8300 Greensboro Drive, Suite 1200

City: McLean

State: VA

Contact Name: Pamela L. Gist, Esq.
Contact Phone: (703) 584-8665
Contact Fax: (703) 584-8696
Contact Email: pgist@fcclaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://mymobilenation.com/support/phone-support.php>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Compliant handset models are publicly identified for consumers and audiologists. Compliant models are listed on the company web site, and retail sales personnel are trained to assist with compliant digital wireless phones. Compliant handsets are available for testing in retail locations. Written materials and promotional literature are provided at the point of sale and on the website, addressing the needs of individuals with hearing disabilities. Such customers are given a 30-day trial period within which to try out digital wireless phones to determine whether they will work properly with their hearing aids.

Methodology for Functionality Levels

Basic phones cost \$149.99 or less. They offer the necessary wireless features and may have a lower-quality camera and limited Bluetooth or Internet capabilities. Typically, these phones offer smaller phone book capacity and average talk time. Most of these phones are generally flip screen phones and lack features such as MP3 players, expandable

memory and download capabilities.

Average phones cost \$150 to \$299.99. They generally offer lower quality cameras compared to advanced models, handsfree and headset Bluetooth profiles, expandable memory, larger phone book capacity, an enhanced color display or increased talk time over basic models. However, these phones offer fewer features than advanced models. Advanced phones cost \$300 and above. They generally offer enhanced features such as a higher quality camera, multiple Bluetooth profiles, Internet access, high speed processing, a touch screen interface, email or an Android operating system.

Report Remarks

Mobile Nation does not operate network facilities utilizing WCDMA air interfaces.

You have reported the following handset model summary information.

Total number of handsets offered: 26

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	21	81%	4	15%	1	4%		26
WCDMA			1	100%				1

Handset 1: Alcatel 960C (Vulcan)

Handset Maker

Alcatel

Handset Model Name

FCC ID

960C (Vulcan)

RAD278

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 2: Apple iPhone 4S

Handset Maker

Apple

Handset Model Name

iPhone 4S

FCC ID

BCG-E2430A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

No Compatibility

Remarks

Handset 3: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 4: Apple iPhone 5s**Handset Maker**

Apple

Handset Model Name**FCC ID**

iPhone 5s

BCG-E2642A

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 5: HTC Desire 601

Handset Maker

HTC

Handset Model Name

Desire 601

FCC ID

NM80P4E100

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 6: HTC One V

Handset Maker

HTC

Handset Model Name

One V

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 7: Kyocera C5121 Milano

Handset Maker

Kyocera

Handset Model Name

C5121 Milano

FCC ID

OVFC51213CD

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 8: Kyocera E3100 Rio

Handset Maker

Kyocera

Handset Model Name

E3100 Rio

FCC ID

OVF-K5402

Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 9: LG AN200 SABER

Handset Maker

LG

Handset Model Name

AN200 SABER

FCC ID

BEJUN200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 10: LG AN270 Exchange**Handset Maker**

LG

Handset Model Name**FCC ID**

AN270 Exchange

BEJVN270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 11: LG AS730

Handset Maker

LG

Handset Model Name

AS730

FCC ID

ZNFAS730

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 12: LG AS740 Axis

Handset Maker

LG

Handset Model Name

AS740 Axis

FCC ID

BEJVS740

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 02/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 13: Motorola XT556 DEFY XT**Handset Maker**

Motorola

Handset Model Name**FCC ID**

XT556 DEFY XT

IHDT56NC2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 14: Motorola XT908 RAZR MAXX

Handset Maker

Motorola

Handset Model Name FCC ID

XT908 RAZR MAXX IHDP56ME1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 10/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 15: Samsung Galaxy S2 R760

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S2 R760 A3LSCHR760

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 16: Samsung Galaxy S4**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Galaxy S4

A3LSCHI545

Air Interfaces/Frequency Bands

850 MHz CDMA
850 MHz WCDMA
1900 MHz CDMA
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 17: Samsung i100 Gem

Handset Maker

Samsung

Handset Model Name

i100 Gem

FCC ID

A3LSCHI100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 10/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 18: Samsung I500 Galaxy S

Handset Maker

Samsung

Handset Model Name

I500 Galaxy S

FCC ID

A3LSCHI500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 10/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 19: Samsung R261 Chrono**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R261 Chrono

A3LSCHR261A

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 20: Samsung R270 Chrono 2

Handset Maker

Samsung

Handset Model Name

R270 Chrono 2

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 21: Samsung R350 Freeform

Handset Maker

Samsung

Handset Model Name

R350 Freeform

FCC ID

A3LSCHR351

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 08/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 22: Samsung R390 Freeform 4**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R390 Freeform 4

A3LSCHR390

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 23: Samsung R530X

Handset Maker

Samsung

Handset Model Name

R530X

FCC ID

A3LSCHR530

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 24: Samsung R580 Profile

Handset Maker

Samsung

Handset Model Name

R580 Profile

FCC ID

A3LSCHR580

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 08/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 25: Samsung R680 Repp

Handset Maker

Samsung

Handset Model Name

R680 Repp

FCC ID

A3LSCHR680

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 26: Samsung R720 Admire

Handset Maker

Samsung

Handset Model Name

R720 Admire

FCC ID

A3LSCHR720

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 02/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Certification

This Report has been certified by:

Michael Beehn Chief Operating Officer

01/09/2014 04:45 PM

Reference Copy